


Series F

SPIRES BY *Wiedemann*



Wiedemann Lustre

... built


SERIES F

Series		Base Width	Height *	Top Width
F40	Spire Size	1'8" x 1'8"	12' to 20'	
	Cupola Size	4'0" x 4'0"	3'7"	2'3" x 2'3"
F53	Spire Size	2'2" x 2'2"	18' to 28'	
	Cupola Size	5'3" x 5'3"	5'3"	2'11" x 2'11"
F68	Spire Size	2'10" x 2'10"	24' to 38'	
	Cupola Size	6'8" x 6'8"	7'0"	3'10" x 3'10"


*crosses are optional and not included in spire height

INSTALLATION DETAILS


(with cupola)



(without cupola)



CARILLON GRILLE STYLES (optional)



Gleem Fiberglass Spires


to inspire, impress, endure

SERIES R


Series		Base Width	Height*	Top Width
R34	Spire Size	8" x 8" to 1'6" x 1'6"	8' to 24'	
	Cupola Size	3'4" x 3'4"	2'6"	2'10" x 2'10"
R42	Spire Size	10" x 10" to 1'10" x 1'10"	12' to 28'	
	Cupola Size	4'2" x 4'2"	3'2"	3'8" x 3'8"
R50	Spire Size	1' x 1' to 2'4" x 2'4"	16' to 32'	
	Cupola Size	5'0" x 5'0"	3'9"	4'6" x 4'6"

*crosses are optional and not included in spire height

INSTALLATION DETAILS



From Wiedemann, the originator of the fiberglass baptistry, now comes the Wiedemann Lustre-Gleem Fiberglass Spire. These graceful spires are designed and engineered to give a lifetime of satisfactory service. Check these advantages: . . . Exclusive FIBERSTRESSING Process — for extra strength and durability . . . Corners internally diagonally reinforced . . . Unitized spires . . . Unit-molded cupolas — no seams or joints . . . Colorfast . . . High gloss, self-cleaning finish . . . Available in white, with optional colors available . . . Easy installation.



Wiedemann

LANTERN SPIRE

The exclusive Lantern Spire design offered by Wiedemann combines aluminum, fiberglass and plexiglass to a delightful blend, to dramatically enhance the inherent beauty of your church. Height 22 feet. Details available upon request.




Series L

Design by Walsh, Keninger and Galvin, Architects
Spencer, Iowa

Wiedemann

WALL CROSSES

Can be backlighted for dramatic effect. Available in 6'-9'-12' sizes. Other cross designs available upon request.




SUGGESTED SPECIFICATIONS

The spire _____ x _____ base size by _____ height and cupola series _____ as manufactured by WIEDEMANN INDUSTRIES, Inc. P. O. Box 672, Muscatine, Iowa. The spire and cupola shall be constructed of un-itized, fiberstressed, Lustre-Gleem fiberglass. Exterior finish shall be of high gloss, self cleaning quality and shall contain ultra violet inhibitors and pigment of the desired color. All corners shall be gently rounded. The spires shall be sufficiently well constructed to withstand winds to 150 miles per hour. The manufacturer shall provide a written warranty against defective materials and workmanship for a period of 10 years.

All specifications subject to change without notice.

OTHER WIEDEMANN PRODUCTS



Wiedemann Industries is the originator of the fiberglass baptistry and is the leading baptistry specialist. Look for the Wiedemann catalog in Sweet's Architectural File, 35c/WI.



Aluminum Church Lighting by Wiedemann is styled in four different designs to fit any church decor. Look for the Wiedemann catalog in A.I.A. File No. 31-F-2.

For complete information, write or call:

Wiedemann Industries, Inc.

P. O. Box 672 Muscatine, Iowa
Phone 319-263-6642